

# Kuniseal C-31

## DESCRIPTION

Kuniseal C-31 is a composite product consisting of Bentonite and Mineral Oil solution, which is specifically designed to act as a moisture barrier in concrete construction joints.

## SPECIAL FEATURES

- \* No special adhesive required.
- \* Installation time is reduced.
- \* Long lasting, insitu durability.
- \* Superior results in stopping moisture penetration.
- \* Suitable for marine environment.

## RECOMMENDED FOR

- \* Concrete construction joints, both vertical and horizontal.
- \* Foundation Joints.
- \* Water Containing Structures
- \* Insitu penetrations in concrete
- \* H shaped beams

## PACKAGING

Kuniseal C-31 is available in packages 20 x 1 metre pieces.

## STORAGE

Store in dry conditions, avoid contact with water.

## HEALTH AND SAFETY

Kuniseal C-31 does not present any undue hazard and is non-toxic, however gloves should be worn as skin may be irritated with prolonged contact. Wash with soap and water after use.

## APPLICATION PROCEDURES

Kuniseal C-31 does not require any special adhesive to be fixed to the concrete surface. Since the Kuniseal is covered by a water soluble film, which will be dissolved in contact with water and which will act as an adhesive. Ensure the

concrete surface is clean and all loose material removed, moisten the concrete and place the Kuniseal as close to the center of the joint as possible. Flatten the Kuniseal with your fingers and ensure material is butted together at the joints. After drying the Kuniseal will be bonded to the concrete. For vertical applications, follow the procedure outlined above. Concrete nails may be required, approximately 4 per meter.

## WARRANTY

The Manufacturer warrants that the products manufactured by it shall be free from material defects and will be consistent with its normal high quality. Should any of the products be proven defective, the liability to the Manufacturer shall be limited to replacement of the product ex factory. The Manufacturer makes no warranty as to the merchantability of fitness for a particular purpose and this warranty is in lieu of all other warranties expressed or implied. The user shall determine the suitability of the product for its intended use and assume all risks and liability in connection therewith.

## Manufactured by:

**KUNIMINE INDUSTRIES CO.,LTD.**  
101-0032 T.M.M. BLD. 10-5 1-chome  
Iwamoto-cho Chiyoda-ku. Tokyo, JAPAN  
TEL: 03 (3886) 7251 FAX: 03 (3866) 2256

## Sole Distributor for Australia, New Zealand and Asean Countries:

### **XYPEX AUSTRALIA**

45 Union Road, Lavington NSW, 2641,  
AUSTRALIA.  
TEL: 02 60402444 FAX: 02 60402411  
Email [xyenq@xypex.com.au](mailto:xyenq@xypex.com.au)  
Web Site [www.xypex.com.au](http://www.xypex.com.au)

Kuniseal C-31