



# Material Safety Data Sheet

Waterproofing Warehouse  
4/12 Strathaird Road, Bundall, 4217  
www.wpw.com.au  
Phone: +61 07 55921329  
Fax: +61 07 55921227

Page: 1 of 4

Infosafe No. LPTBJ Issue Date : February 2006 ISSUED by PARCHEMC

Product Name : EMER-PROOF 750

## 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

**Product Name** EMER-PROOF 750  
**Company Name** Parchem Construction Products Pty Ltd (ABN 80 069 961 968)  
**Address** 7 Lucca Road Wyong  
NSW 2259 Australia  
**Emergency Tel.** 1800 638 556  
**Telephone/Fax Number** Tel: 02 4350 5000 Fax: 02 4351 2024  
**Recommended Use** Polyurethane waterproofing membrane.  
**Other Information** This MSDS summaries at the date of issue our best knowledge of the health and safety hazard information of the product, and in particular how to safely handle and use the product in the workplace. Since Parchem Construction Products Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, review this MSDS in the context of how the user intends to handle and use the product in the workplace.  
If clarification or further information is needed to ensure that an appropriate assessment can be made, the user should contact this company. Our responsibility for product as sold is subject to our standard term and conditions, a copy of which is sent to our customers and is also available upon request.  
  
[www.parchem.com.au](http://www.parchem.com.au)

## 2. HAZARDS IDENTIFICATION

**Hazard Classification** Classified as Hazardous according to the criteria of the NOHSC.  
Not classified as dangerous goods according to the ADG Code.  
  
**Risk Phrases:**  
R42 May cause sensitization by inhalation.  
  
**Safety Phrases:**  
S23 Do not breathe gas/fumes/vapour/spray.  
S38 If insufficient ventilation, wear suitable respiratory equipment.  
S51 Use only in well ventilated areas.  
  
**Risk Phrase(s)** R42 May cause sensitization by inhalation.  
**Safety Phrase(s)** S23 Do not breathe gas/fumes/vapour/spray  
S38 If insufficient ventilation, wear suitable respiratory equipment.  
S51 Use only in well ventilated areas.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients	Name	CAS	Proportion
	Residual	101-68-8	0-0.3 %
	Diphenylmethane-4,4'-di isocyanate		
	Other ingredients determined not to be hazardous.	-	Balance

## 4. FIRST AID MEASURES

**Inhalation** Remove the source of contamination or move the victim to fresh air. Ensure airways are clear and have qualified person give oxygen through a face mask if breathing is difficult. Apply artificial respiration if not breathing. Seek medical attention.

**Ingestion** Do NOT induce vomiting. Wash out mouth with water. If symptoms develop seek medical attention.

**Skin** Wash affected area thoroughly with soap and water. Remove contaminated clothing and wash before reuse or discard. If symptoms develop seek medical attention.



# Material Safety Data Sheet

Page: 2 of 4

Infosafe No. LPTBJ Issue Date : February 2006 ISSUED by PARCHEMC

Product Name : **EMER-PROOF 750**

**Eye** If contact with the eye(s) occurs, wash with copious amounts of water holding eyelid(s) open. Take care not to rinse contaminated water into the non-affected eye. If symptoms persist seek medical attention.

**First Aid Facilities** Eye wash and normal washroom facilities.

**Advice to Doctor** Treat symptomatically.

## 5. FIRE FIGHTING MEASURES

**Suitable Extinguishing Media** Use dry chemical powder, carbon dioxide or foam. Do NOT use water jets. Cool fire exposed containers with water spray.

**Hazards from Combustion Products** Under fire conditions this product may emit toxic and/or irritating fumes including carbon monoxide, carbon dioxide, oxides of nitrogen, hydrogen cyanide and isocyanates.

**Specific Hazards** Combustible substance. This product will burn if exposed to fire.

**Hazchem Code** None Allocated

**Precautions in connection with Fire** Fire-fighters should wear full protective clothing and self contained breathing apparatus (SCBA) operated in positive pressure mode.

## 6. ACCIDENTAL RELEASE MEASURES

**Emergency Procedures** Wear appropriate personal protective equipment and clothing to minimise exposure. Extinguish or remove all sources of ignition and stop leak if safe to do so. Increase ventilation. Evacuate all unnecessary personnel. If possible contain the spill. Place inert absorbent material onto spillage. Use clean non-sparking tools to collect the material and place into a suitable labelled container. Do not dilute material but contain. Dispose of waste according to federal, Environmental Protection Authority and state regulations. If this material enter the waterways contact the Environmental Protection Authority, or your local Waste Management Authority.

## 7. HANDLING AND STORAGE

**Precautions for Safe Handling** Repeated or prolonged contact with this material should be avoided in order to lessen the possibility of skin disorders. It is essential that all who come into contact with this material maintain high standards of personal hygiene ie. washing hands prior to eating, drinking or going to the toilet. Build-up of mists in the working atmosphere must be prevented.

**Conditions for Safe Storage** Store in a cool, dry, well-ventilated area away from sources of ignition. This product should be stored away from foodstuffs and strong oxidising agents. For information on the design of the storeroom reference should be made to Australian Standard AS1940, The storage and handling of flammable and combustible liquids. Reference should also be made to any relevant Commonwealth, State or Territory regulations.

**Corrosiveness** Not corrosive to aluminium.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**National Exposure Standards** No exposure standards have been established for this material by the National Occupational Health And Safety Commission (NOHSC).

**Engineering Controls** Provide sufficient ventilation to keep airborne levels below the exposure limit. Where vapours or mists are generated, particularly in enclosed areas, and natural ventilation is inadequate, a flameproof exhaust ventilation system is required. Refer to AS 1940 - The storage and handling of flammable and combustible liquids and AS/NZS 2430.3.1:1997 : Classification of hazardous areas - Examples of area classification - General, for further information concerning ventilation requirements.

**Respiratory Protection** If engineering controls are not effective in controlling airborne exposure then respiratory protective equipment should be used suitable for protecting against airborne contaminants. Final choice of appropriate breathing protection is dependent upon actual airborne concentrations and the type of breathing protection required will vary according to individual circumstances. Expert advice may be required to make this decision. Reference should be made to Australian Standards AS/NZS 1715, Selection, Use and maintenance of Respiratory Protective Devices; and AS/NZS 1716, Respiratory Protective Devices.

Infosafe No.	LPTBJ	Issue Date : February 2006	ISSUED by PARCHEMC
--------------	-------	----------------------------	--------------------

Product Name : **EMER-PROOF 750**

---

<b>Eye Protection</b>	Safety glasses with side shields, goggles or full-face shield as appropriate recommended. Final choice of appropriate eye/face protection will vary according to individual circumstances i.e. methods of handling or engineering controls and according to risk assessments undertaken. Eye protection should conform with Australian/New Zealand Standard AS/NZS 1337 - Eye Protectors for Industrial Applications.
<b>Hand Protection</b>	Wear gloves of impervious material. Final choice of appropriate gloves will vary according to individual circumstances i.e. methods of handling or according to risk assessments undertaken. Reference should be made to AS/NZS 2161.1: Occupational protective gloves - Selection, use and maintenance.
<b>Body Protection</b>	Wear appropriate clothing including chemical resistant apron where clothing is likely to be contaminated. It is advisable that a local supplier of personal protective clothing is consulted regarding the choice of material.
<b>Other Information</b>	Biological Limit Values: No biological limit allocated.

---

## 9. PHYSICAL AND CHEMICAL PROPERTIES

---

<b>Appearance</b>	A thixotropic paste.
<b>Odour</b>	Slight solvent odour.
<b>Melting Point</b>	Not available
<b>Boiling Point</b>	Not available
<b>Solubility in Water</b>	Insoluble
<b>Specific Gravity</b>	Not available
<b>pH Value</b>	Not available
<b>Vapour Pressure</b>	Not available
<b>Vapour Density (Air=1)</b>	Not available
<b>Flash Point</b>	62°C (Closed Cup)
<b>Flammability</b>	Combustible substance. This product will burn if exposed to fire.
<b>Flammable Limits - Lower</b>	Not available
<b>Flammable Limits - Upper</b>	Not available

---

## 10. STABILITY AND REACTIVITY

---

<b>Chemical Stability</b>	Stable under normal conditions.
<b>Incompatible Materials</b>	Incompatible with strong oxidisers.
<b>Hazardous Decomposition Products</b>	Releases carbon monoxide, carbon dioxide, oxides of nitrogen. During partial combustion oxides of nitrogen, hydrogen cyanide and isocyanates may be emitted.
<b>Hazardous Polymerization</b>	Will not occur.

---

## 11. TOXICOLOGICAL INFORMATION

---

<b>Toxicology Information</b>	No toxicity data is available for this product.
<b>Inhalation</b>	Inhalation of product vapours may cause irritation of the nose, throat and respiratory system. Inhalation may cause sensitisation in some individuals.
<b>Ingestion</b>	Ingestion of this product may irritate the gastric tract causing nausea and vomiting.
<b>Skin</b>	May cause redness, itching and irritation.
<b>Eye</b>	May cause eye irritation, tearing, stinging, blurred vision, and redness.
<b>Chronic Effects</b>	Prolonged or repeated exposure through inhalation of vapours/fumes may lead to sensitisation and occupational asthma.

---

## 12. ECOLOGICAL INFORMATION

---



# Material Safety Data Sheet

Page: 4 of 4

Infosafe No.	LPTBJ	Issue Date : February 2006	ISSUED by PARCHEMC
--------------	-------	----------------------------	--------------------

Product Name : **EMER-PROOF 750**

---

<b>Ecotoxicity</b>	No data is available for this material.
<b>Persistence / Degradability</b>	No data is available for this material.
<b>Mobility</b>	No data is available for this material.
<b>Environ. Protection</b>	Prevent this material entering waterways, drains and sewers.

---

### 13. DISPOSAL CONSIDERATIONS

---

<b>Disposal Considerations</b>	Dispose of waste according to federal, EPA and state regulations.
--------------------------------	---

---

### 14. TRANSPORT INFORMATION

---

<b>Transport Information</b>	Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail.
<b>U.N. Number</b>	None Allocated
<b>Proper Shipping Name</b>	None Allocated
<b>DG Class</b>	None Allocated
<b>Hazchem Code</b>	None Allocated
<b>Packing Group</b>	None Allocated

---

### 15. REGULATORY INFORMATION

---

<b>Poisons Schedule</b>	Not Scheduled
<b>Hazard Category</b>	Harmful

---

### 16. OTHER INFORMATION

---

<b>Date of preparation or last revision of MSDS</b>	MSDS Creation: June 2005
<b>Contact Person/Point</b>	Technical Support: 1800 812 864 ...End Of MSDS...